

**LAMINAT &** 2015









# Laminate Collection CONTENTS







# FAST PRECISE SIMPLE

**Zip'n'go**, is a assembly system for laminate flooring, developed by Alsapan flooring. It simplifies assembly of the short side of the planks by simply locking the planks together.

**Zip'n'go** is precise, reversible and requires no effort.

### Why zip'n'go?

We continually gather feedback from our customers for the ongoing improvement of our assembly system and **Zip'n'go** is the culmination of many years R&D. Our main focus is on:

- providing answers for the installation issues met by our customers,
- delivering innovative solutions for easier and faster assembly,
- improving the quality and precision of assembly.

The **Zip'n'go** system is designed to allow simple, safe and fast flooring installation. It offers a number of advantages, both during assembly and in the longer term.

# How does it work?

Flooring installation has never been simpler with the **Zip'n'go** system. A couple of basic techniques is all that's needed.











# Watch the video

Use your PC, smart phone or tablet to watch an online video that takes you through all the stages of the assembly process, from preparing the room, right up to laying the final plank.

To watch the video, click on the URL/ www.alsafloor.com



## **ALSAFLOOR**

#### Made in France, in Alsace



ALSAFLOOR products are symbolic of our drive to design the best products and offer the best service to our customers, with world-renowned French quality and expertise - the guarantee of compliance with social and environmental standards.

#### Alsapan flooring:

All Alsapan flooring products are PEFC certified. The wood used in our flooring is sourced from sustainably-managed forests - we never use exotic woods or wood from tropical forests. Our production facility is geographically close to our raw material suppliers and retail outlets, which allows us to reduce shipping distances and CO2 emissions.

Our Marlenheim facility is exemplary in its environmentally-responsible actions, which help



maintain our planet's natural resources. Its roof is fitted with solar panels, employees are actively seeking to reduce paper consumption, while the plant uses production waste products as an energy source for heating the buildings and the machines.

#### A+, for a healthy habitat!

Introduced on 1 January 2012, the health safety labelling on product packaging gives consumers details of the amount of volatile substances released into the interior air by flooring and is ranked on a scale from Class A+ (very low emissions) to Class C (high level of emissions).

ALSAFLOOR is ranked A+, with a formaldehyde emission rate of under 10  $\mu$ g/(m<sup>2</sup> x h), based on tests performed by an independent laboratory.



\*Information as to emissions of volatile compounds in the indoor air, which might be harmful to the health when inhaled, on a scale from Class A+ (very low emissions) to C (high emissions).

#### (e)CO2 programme, carbon compensation for shipping waste products.

Alsapan flooring is part of the French-based e(CO2) program, which sets out to compensate CO2 emissions resulting from shipping its waste products, by providing support for a reforestation project in Peru. The program helps set up environmental, economic and social projects to protect biodiversity and provide sustainable revenue for the people living in affected forestland.

You too can help protect nature and the ecosystem, by preferring products from the sole French producer of laminate flooring.




### Medina

## 12 mm, TILE DIMENSION

#### A VERY EXCLUSIVE TEXTURE IN TILE DIMENSIONS.

- A smooth, matt surface structure with an irresistible feel.
- Very hardwearing tiles for heavy loads.
- Improved sound insulation.















828

860

826





827













#### Forte

#### A HIGH RESISTANCE LAMINATE!

- Very hardwearing panel for heavy loads.
- Improved sound insulation.
- Perfect for both renovated and new buildings.
- A laying system, locking the planks together.























#### Technics

> length : 1286 mm > width : 210 mm

## 12 mm, WITH BEVELLED EDGES

#### A HIGH RESISTANCE LAMINATE, IN 4 V-GROOVES!

- Very hardwearing panel for heavy loads.
- Improved sound insulation.
- The four bevelled edges produce an impression of spaciousness.
- Perfect for both renovated and new buildings.
- A laying system, locking the planks together.
- Combine two or three different widths with the Solid Plus, Solid Chic and Solid Medium ranges.





102\*





































**Technics** 

> length : 1286 mm > width : 210 mm

> thickness : 12 mm > warranty : 35 ans

> support : hdf - wp > boards/kit : 6

\*Rustic texture

> sqm/kit : 1,62 > weight/kit : 18 kg


\*\*In-Registered texture

#### 12 mm, WITH BEVELLED EDGES

## Solid Plus

#### A MAT / GLOSSY EFFECT FOR A VERY EXCLUSIVE IN-REGISTERED TEXTURE.

- A mat / glossy effect (mat on the surface and glossy in the wood grain) for a deeper and more noticeable structure.
- Very hardwearing panel for heavy loads.
- The four bevelled edges produce an impression of spaciousness.
- Improved sound insulation.
- A laying system, locking the planks together.
- Combine two or three different widths with the Solid,
   Solid Medium and Solid Chic ranges.





















> length : 1286 mm > width : 210 mm > thickness : 12 mm > warranty : 35 ans > support : hdf - wp > boards/kit : 6 > sqm/kit : 1,62 > weight/kit : 18 kg

## Solid Chic

12 mm , ELEGANT PLANKS

New

### ELEGANT PLANKS WITH A WIDTH OF 168MM.

- Very hardwearing panel for heavy loads.
- Improved sound insulation.
- Perfect for both renovated and new buildings.
- A laying system, locking the planks together.
- Combine two or three different widths with the Solid,
   Solid Medium and Solid Plus ranges.







440\*\*

456\*\*





627\*

628\*



















> length : 1286 mm > width : 168 mm > thickness : 12 mm > warranty : 35 ans > support : hdf - wp > boards/kit : 6 > sqm/kit : 1,30 > weight/kit : 13,4 kg TH TH O

•

103




440



621

**Tec** > l€ > w



## 8 mm , RESISTANT TO HUMIDITY

# D-clic aquastar

#### SPECIALLY DESIGNED FOR ROOMS WITH HIGH HUMIDITY

- A new laying system, locking the planks together.
- A water repellent panel.



















160\*







409\*\*\*





\*Rustic texture







> length : 1286 mm > width : 192 mm

# Clip 400

# 8 mm, CLASSIC RANGE

## A PATTERN FOR EVERY PROJECT!


- 37 designs in the range : a very wide choice of patterns.
- A new laying system, locking the planks together.





## 8 mm, CLASSIC RANGE

# Clip 400





















- > length : 1286 mm > width : 192 mm
- > thickness : 8 mm > warranty : 25 ans
- > support : hdf wp > boards/kit : 9

#### Osmoze

### 8 mm, WITH BEVELLED EDGES

THE PLEASURE OF WOOD VEINING. SPECIALLY DESIGNED PATTERNS ECHOING THE CHARM OF YESTERYEAR.

- An unusual structure which brings out the veining of the wood.
- The four bevelled edges produce an impression of spaciousness.
- A brand new satin-finish and in-registered structure for patterns 410, 419, 420, 448, 449 and 450.
- A laying system, locking the planks together.

















410

419









zin'n'ao



448

138













Technics

> length : 1286 mm > width : 192 mm > thickness : 8 mm > warranty : 25 ans > support : hdf - wp > boards/kit : 9 > sqm/kit : 2,22 > weight/kit : 16,5 kg

## 8 mm, WITH BEVELLED EDGES

### Visual

### A GENUINE FLOOR EFFECT.

- The four bevelled edges produce an impression of spaciousness.
- Panel thickness designed for installation in all types of interiors.
- A laying system, locking the planks together



















ZİD'n'go°

by Alsapan flooring















#### Technics

> length : 1286 mm > width : 192 mm > thickness : 8 mm > warranty : 25 ans > support : hdf - wp > boards/kit : 9

> sqm/kit : 2,22 > weight/kit : 16,5 kg



## 7 mm , CLASSIC RANGE

# Clip 300

#### A WIDE CHOICE OF **CLASSIC AND** CONTEMPORY PATTERNS.

• Easy installation.





107\*



122\*



131\*



235\*



408\*\*\*



165\*



330<sup>\*</sup>









409\*\*\*



171\*



401\*\*



447\*



405\*\*\*



456\*\*\*



\*Rustic texture





\*\*Matt wood structure



AC4



#### Technics

> length : 1290 mm > width : 192 mm









































































































































































Z.I. - 1 rue de l'Europe - 67521 Marlenheim Cedex - France tel. +33 (0)3 88 59 29 89 - fax. +33 (0)3 88 59 28 49

www.alsafloor.com